

# General Purpose Absorbent Floor Sweep

Because spills can happen anywhere, Spill Station offer two types of General Purpose Absorbent so the absorbent you get is right for the job. Both are 100% natural, highly absorbent and free of harmful chemical residues.

| SPILL KIT COLOUR CODE | COOLANT / GENERAL LIQUIDS | HERBICIDE / PESTICIDE | OIL / FUEL / SOLVENT | ACIDS / CAUSTICS |
|-----------------------|---------------------------|-----------------------|----------------------|------------------|
| GENERAL PURPOSE       | ✓                         | ✓                     | ✓                    | X                |



## SpillFix General Purpose Absorbent


- Contains no harmful dust to ensure a safe spill cleanup.
- Reduce clean up time and disposal costs by more than half.
- One 50L bag absorbs as much as 4 x 20kg bags of "kitty litter".
- A 50 litre bag will absorb up to 60 litres of spill.
- Made from an annually renewable resource.
- No chemical residues.
- EPA approved.
- Fast acting.

**0A50L** 50 Litre Bag SpillFix GP Absorbent

**0A15L** 15 Litre Bag SpillFix GP Absorbent



It is estimated that the surface area of SpillFix Absorbent is approximately 0.6ha (6000 square metres) in a single litre. The large surface area is created by the hollow channel structure. This is how it can retain up to 5 times its own weight in liquids.



Magnified 350x




## Mineral Sponge Granular Absorbent

- Will not break down and become slippery when wet.
- Safer than clay based granules.
- Liquids stay "locked inside".
- Absorbs up to 50% more than "kitty litter"
- Meets EPA requirements for solid waste disposal

**MS15** 15kg bag Mineral Sponge

PERFECT FOR HIGH WIND AREAS



# General Purpose SpillFix Spill Kits

The SpillFix 100% organic absorbent in these spill kits make them ideal for use in a wide variety of environments including warehouse, factory and construction. This loose absorbent deals with spills on uneven ground where absorbent pads are unsuitable.

| SPILL KIT<br>COLOUR CODE | COOLANT /<br>GENERAL LIQUIDS | HERBICIDE /<br>PESTICIDE | OIL / FUEL /<br>SOLVENT | ACIDS /<br>CAUSTICS |
|--------------------------|------------------------------|--------------------------|-------------------------|---------------------|
| GENERAL<br>PURPOSE       | ✓                            | ✓                        | ✓                       | X                   |

| Qty | SK200SF 200 Litre General Purpose Spill Kit |
|-----|---|
| 2   | 50L Bag SpillFix Absorbent                  |
| 15  | 1200mm General Purpose Boom                 |
| 150 | General Purpose Absorbent Pads              |
| 10  | Contaminated Waste Bags                     |
| 2   | Oil Resistant Gloves                        |
| 2   | Disposable Apron                            |
| 1   | 240L Spill Bin with Wheels                  |
| 1   | Instruction Sheet                           |



| Qty | SK100SF 100 Litre General Purpose Spill Kit |
|-----|---|
| 1   | 50L Bag SpillFix Absorbent                  |
| 8   | 1200mm General Purpose Boom                 |
| 100 | General Purpose Absorbent Pads              |
| 5   | Contaminated Waste Bags                     |
| 2   | Oil Resistant Gloves                        |
| 2   | Disposable Apron                            |
| 1   | 140L Spill Bin with Wheels                  |
| 1   | Instruction Sheet                           |



| Qty | SK40SF 40 Litre General Purpose Spill Kit |
|-----|---|
| 1   | 15L Bag SpillFix Absorbent                |
| 4   | 1200mm General Purpose Boom               |
| 30  | General Purpose Absorbent Pads            |
| 2   | Contaminated Waste Bags                   |
| 2   | Oil Resistant Gloves                      |
| 2   | Disposable Apron                          |
| 1   | Zip-top Orange Nylon Bag                  |
| 1   | Instruction Sheet                         |



| Qty | SK20SF 20 Litre General Purpose Spill Kit |
|-----|---|
| 1   | 15L Bag SpillFix Absorbent                |
| 2   | 1200mm General Purpose Boom               |
| 15  | General Purpose Absorbent Pads            |
| 2   | Contaminated Waste Bags                   |
| 2   | Oil Resistant Gloves                      |
| 2   | Disposable Apron                          |
| 1   | Zip-top Yellow Nylon Bag                  |
| 1   | Instruction Sheet                         |



When you need a universal maintenance absorbent that is great value for money, our Poly GP range is perfect.

Made from virgin resin polypropylene, our absorbents do not have recycled content that can compromise strength and chemical resistance.

The heat welded dimples make sure you turn your liquid hazard into an easily managed solid fast. The spun bonded laminate provides extra strength and prevents shedding.

They are suitable to use with a wide range of chemicals including hydrocarbons, agricultural chemicals, coolant and even battery acid.



| Code  | Description                          | Size      | Grade  | UOM      |
|-------|--------------------------------------|-----------|--------|----------|
| GP403 | Pad, dimpled, laminated              | 480x430mm | 400gsm | 100/pack |
| GP410 | Pad, dimpled, laminated              | 480x430mm | 200gsm | 200/pack |
| GR411 | Roll, dimpled, laminated, perforated | 50mx500mm | 200gsm | Each     |
| GR412 | Roll, dimpled, laminated, perforated | 50mx1m    | 200gsm | Each     |
| GB412 | Spill containment boom               | 1.2mx75mm |        | 10/pack  |
| GB430 | Spill containment boom               | 3.0mx75mm |        | 10/pack  |

- Super absorbent polypropylene micro-fibres suitable for all non-aggressive chemicals.
- Can also be used with some acids and bases including battery acid.
- General purpose absorbents are made from 100% virgin resin polypropylene.
- Contains no recycled contaminants that can reduce strength, absorption and chemical resistance.
- Rolls are extra strong to take foot traffic.



- All pads and rolls are laminated with low-lint spun woven cover stock.
- Pads and rolls in this range have heat bonded dimples for fast absorption.
- General purpose absorbents are made from 100% virgin resin polypropylene.
- The easy-tear perforation on all rolls make them convenient to use. Just tear off what you need.
- Colour coded grey for easy recognition and fast response.

The absorbent components of these spill kits are made from polypropylene. This material has excellent absorption rates and provide great value for money. They are designed for general workshop and factory applications.

| SPILL KIT COLOUR CODE | COOLANT / GENERAL LIQUIDS | HERBICIDE / PESTICIDE | OIL / FUEL / SOLVENT | ACIDS / CAUSTICS |
|-----------------------|---------------------------|-----------------------|----------------------|------------------|
| GENERAL PURPOSE       | ✓                         | ✓                     | ✓                    | X                |

| Qty | SK200GP 200 Litre General Purpose Spill Kit |
|-----|---|
| 15  | 1200mm General Purpose Boom                 |
| 200 | General Purpose Absorbent Pads              |
| 10  | Contaminated Waste Bags                     |
| 2   | Oil Resistant Gloves                        |
| 2   | Disposable Apron                            |
| 1   | 240L Spill Bin with Wheels                  |
| 1   | Instruction Sheet                           |



| Qty | SK100GP 100 Litre General Purpose Spill Kit |
|-----|---|
| 8   | 1200mm General Purpose Boom                 |
| 100 | General Purpose Absorbent Pads              |
| 5   | Contaminated Waste Bags                     |
| 2   | Oil Resistant Gloves                        |
| 2   | Disposable Apron                            |
| 1   | 140L Spill Bin with Wheels                  |
| 1   | Instruction Sheet                           |



| Qty | SK40GP 40 Litre General Purpose Spill Kit |
|-----|---|
| 4   | 1200mm General Purpose Boom               |
| 30  | General Purpose Absorbent Pads            |
| 2   | Contaminated Waste Bags                   |
| 2   | Oil Resistant Gloves                      |
| 2   | Disposable Apron                          |
| 1   | Zip-top Orange Nylon Bag                  |
| 1   | Instruction Sheet                         |



| Qty | SK20GP 20 Litre General Purpose Spill Kit |
|-----|---|
| 2   | 1200mm General Purpose Boom               |
| 15  | General Purpose Absorbent Pads            |
| 2   | Contaminated Waste Bags                   |
| 2   | Oil Resistant Gloves                      |
| 2   | Disposable Apron                          |
| 1   | Zip-top Yellow Nylon Bag                  |
| 1   | Instruction Sheet                         |



When you are dealing with a wide variety of liquids on your site you can waste time deciding which absorbent is right.

Spill Station Hazchem Absorbents can deal with a wide range of fluids from acids to solvents to pesticides.

This absorbent is available in a range of forms including rolls, pads, pillows and booms.

See page 31 for a comprehensive chemical suitability guide.



| Code  | Description                          | Size      | Grade  | UOM      |
|-------|--------------------------------------|-----------|--------|----------|
| CP303 | Pad, dimpled, laminated              | 480x430mm | 400gsm | 100/pack |
| CP310 | Pad, dimpled, laminated              | 480x430mm | 200gsm | 200/pack |
| CR311 | Roll, dimpled, laminated, perforated | 50mx500mm | 200gsm | Each     |
| CR312 | Roll, dimpled, laminated, perforated | 50mx1m    | 200gsm | Each     |
| CB312 | Spill containment boom               | 1.2mx75mm |        | 10/pack  |
| CB330 | Spill containment boom               | 3.0mx75mm |        | 10/pack  |

-Super absorbent polypropylene micro-fibres provide broad chemical compatibility. (see page 31 for more details)

-Dust free and low lint make these products suitable for food and beverage manufacturing.

-All pads and rolls are laminated with low-lint spun woven cover stock.

-Hazchem absorbents are made from 100% virgin resin polypropylene.



-Pads and rolls in this range have heat bonded dimples to accelerate absorption

-Hazchem rolls have easy-tear perforation for easy handling and use.

-Colour coded yellow for easy recognition and fast response.

The absorbent components of these spill kits are made from polypropylene. This material has excellent absorption rates and provide great value for money. They are perfect to use with a wide variety of liquids including most acids, caustic, oils, solvents and fuels.

| SPILL KIT COLOUR CODE | GENERAL WORKSHOP LIQUIDS | OIL / FUEL / SOLVENT | HERBICIDE / PESTICIDE | ACIDS / CAUSTICS |
|-----------------------|--------------------------|----------------------|-----------------------|------------------|
| HAZCHEM               | ✓                        | ✓                    | ✓                     | ✓                |

| Qty | SK200EA 200 Litre Hazchem Spill Kit |
|-----|-------------------------------------|
| 15  | 1200mm Hazchem Absorbent Boom       |
| 200 | Hazchem Absorbent Pads              |
| 10  | Contaminated Waste Bags             |
| 2   | Neoprene Gloves                     |
| 2   | Disposable Apron                    |
| 1   | 240L Spill Bin with Wheels          |
| 1   | Instruction Sheet                   |



| Qty | SK100EA 100 Litre Hazchem Spill Kit |
|-----|-------------------------------------|
| 8   | 1200mm Hazchem Absorbent Boom       |
| 100 | Hazchem Absorbent Pads              |
| 5   | Contaminated Waste Bags             |
| 2   | Neoprene Gloves                     |
| 2   | Disposable Apron                    |
| 1   | 140L Spill Bin with Wheels          |
| 1   | Instruction Sheet                   |



| Qty | SK40EA 40 Litre Hazchem Spill Kit |
|-----|-----------------------------------|
| 4   | 1200mm Hazchem Absorbent Boom     |
| 30  | Hazchem Absorbent Pads            |
| 2   | Contaminated Waste Bags           |
| 2   | Neoprene Gloves                   |
| 2   | Disposable Apron                  |
| 1   | Zip-top Blue Nylon Bag            |
| 1   | Instruction Sheet                 |



| Qty | SK20EA 20 Litre Hazchem Spill Kit |
|-----|-----------------------------------|
| 2   | 1200mm Hazchem Absorbent Boom     |
| 15  | Chemical Absorbent Pads           |
| 2   | Contaminated Waste Bags           |
| 2   | Neoprene Gloves                   |
| 2   | Disposable Apron                  |
| 1   | Zip-top Yellow Nylon Bag          |
| 1   | Instruction Sheet                 |



Spill Station Oil Only Absorbents have the unique property of repelling water and only absorbing oils and fuels. This makes them suitable for use on both land and water surfaces.

All pads and rolls are dimpled and laminated for superior strength and absorption.

The heat welded dimples promote rapid absorption so that you can turn your liquid hazard into an easily managed solid fast.

Our thirsty 400gsm pads can absorb up to 1.5 litres.

The easy-tear perforations in our pads and rolls mean that you only use what you need.



| Code  | Description                                   | Size         | Grade  | UOM      |
|-------|---|--------------|--------|----------|
| WP203 | Oil only pad, dimpled, laminated, perforated  | 480x430mm    | 400gsm | 100/pack |
| WP210 | Oil only pad, dimpled, laminated, perforated  | 480x430mm    | 200gsm | 200/pack |
| WR211 | Oil only roll, dimpled, laminated, perforated | 50mx500mm    | 200gsm | Each     |
| WR212 | Oil only roll, dimpled, laminated, perforated | 50mx1m       | 200gsm | Each     |
| WB212 | Spill containment boom for use on land        | 1.2mx75mm    |        | 10/pack  |
| WB230 | Spill containment boom for use on land        | 3.0mx75mm    |        | 10/pack  |
| WB222 | Marine spill containment boom                 | 3.0mx125mm   |        | 4/pack   |
| WB201 | Marine spill containment boom                 | 3.0mx200mm   |        | 4/pack   |
| WC205 | Oil only absorbent pillow                     | 450x450x50mm |        | 10/pack  |

## Features

- Oil absorbent material are made from 100% virgin resin polypropylene and no recycled contaminants to reduce performance.
- They repel water (hydrophobic) and only absorb hydrocarbons such as oil, fuel & solvent.
- Oil absorbent rolls are perforated for easy handling.



- All pads and rolls are laminated with low lint spun woven cover stock.
- All pads and rolls have heat bonded dimples to accelerate absorption
- Marine booms are double skinned and are fitted with snap hooks and rings.

With oil only pads as the primary absorbent, these spill kits are designed for use on a sealed surface such as the workshop floor. These pads are ideal for proactive applications such as positioning under leaking machinery.

They are packed in hard wearing hi-vis bags and bins and contain everything you need to address spills of up to 200 litres.

| SPILL KIT COLOUR CODE | WATER BASED LIQUIDS | OIL / FUEL / SOLVENT | HERBICIDE / PESTICIDE | ACIDS / CAUSTICS |
|-----------------------|---------------------|----------------------|-----------------------|------------------|
| OILS/FUEL             | X                   | ✓                    | X                     | X                |

| Qty | SK200W 200 Litre Oil Only Spill Kit |
|-----|-------------------------------------|
| 15  | 1200mm Oil Absorbent Boom           |
| 200 | Oil Absorbent Pads                  |
| 10  | Contaminated Waste Bags             |
| 2   | Oil Resistant Gloves                |
| 2   | Disposable Apron                    |
| 1   | 240L Spill Bin with Wheels          |
| 1   | Instruction Sheet                   |

| Qty | SK100W 100 Litre Oil Only Spill Kit |
|-----|-------------------------------------|
| 8   | 1200mm Oil Absorbent Boom           |
| 100 | Oil Absorbent Pads                  |
| 5   | Contaminated Waste Bags             |
| 2   | Oil Resistant Gloves                |
| 2   | Disposable Apron                    |
| 1   | 140L Spill Bin with Wheels          |
| 1   | Instruction Sheet                   |

| Qty | SK40W 40 Litre Oil Only Spill Kit |
|-----|-----------------------------------|
| 4   | 1200mm Oil Absorbent Boom         |
| 30  | Oil Absorbent Pads                |
| 2   | Contaminated Waste Bags           |
| 2   | Oil Resistant Gloves              |
| 2   | Disposable Apron                  |
| 1   | Zip-top Red Nylon Bag             |
| 1   | Instruction Sheet                 |

| Qty | SK20W 20 Litre Oil Only Spill Kit |
|-----|-----------------------------------|
| 2   | 1200mm Oil Absorbent Boom         |
| 15  | Oil Absorbent Pads                |
| 2   | Contaminated Waste Bags           |
| 2   | Oil Resistant Gloves              |
| 2   | Disposable Apron                  |
| 1   | Zip-top Yellow Nylon Bag          |
| 1   | Instruction Sheet                 |





| SPILL KIT COLOUR CODE | WATER BASED LIQUIDS | OIL / FUEL / SOLVENT | HERBICIDE / PESTICIDE | ACIDS / CAUSTICS |
|-----------------------|---------------------|----------------------|-----------------------|------------------|
| OILS/FUEL             | X                   | ✓                    | X                     | X                |

Regulation 37 of MARPOL Annex I requires that oil tankers of 150 gross tonnage and above and all ships of 400 gross tonnage and above carry an approved Shipboard Oil Pollution Emergency Plan (SOPEP).

As a part of this contingency planning, vessels under 400' require a 7 barrel (1100L) Marine Spill Kit. Vessels over 400' require a 12 barrel (1900L) marine Spill Kit.

These spill kits contain a variety of oil only absorbents and PPE for addressing shipboard spills.

SOPEP=Shipboard Oil Spill Pollution Emergency Plan



SK1900OF SPILL KIT CONTAINER

| Components                       | Size        | SK1100OF | SK1900OF  |
|----------------------------------|-------------|----------|-----------|
| Oil Absorbent Marine Boom        | 125mm x 3m  | 6        | 10        |
| Oil Absorbent Pads               | 480 x 430mm | 500      | 800       |
| Oil Absorbent Roll               | 50m x 500mm | 1        | 2         |
| Oil Absorbent Pillows            | 450x450mm   | 15       | 22        |
| Disposable Overalls              |             | 2        | 2         |
| Oil Resistant Gloves             |             | 2        | 2         |
| Splash Resistant Goggles         |             | 2        | 2         |
| Contaminated Waste Bags          |             | 10       | 16        |
| Lockable Weather-proof Container | 1000 Litre  | 1        |           |
| Lockable Weather-proof Container | 1400 Litre  |          | 1         |
| Absorbent Capacity (Litres)      |             | 1100L    | 1900L     |
| Absorbent Capacity (Barrels)     |             | 7 Barrel | 12 barrel |



# Laboratory & Medical Spill Kits

Laboratories often have a wider range of substances than most workplaces. That is why these kits contain the most universally compatible absorbent material. It is suitable for all substances except hydrofluoric acid.



| Qty | ZTSSBHS Bio-Hazard Spill Kit      |
|-----|-----------------------------------|
| 1   | 500ml Bio Hazard Absorbent Powder |
| 1   | 100ml Bottle Clinical Detergent   |
| 1   | Face Mask & Eye Shield            |
| 1   | Scoop and Scraper                 |
| 1   | Disposable Gloves                 |
| 1   | LDPE Disposable Apron             |
| 2   | Clinical Waste Bags & Ties        |
| 1   | Hygenic Skin Wipes                |



| Qty | ZTSSCBF Cytotoxic Body Fluid Spill Kit |
|-----|--|
| 1   | 2.5L Bio Hazard Absorbent Powder       |
| 1   | 100ml Bottle Clinical Detergent        |
| 1   | Face Mask & Eye Shield                 |
| 1   | Scoop and Scraper                      |
| 1   | Disposable Gloves                      |
| 1   | Protective Gown                        |
| 2   | Cytotoxic Waste Bags                   |
| 1   | Overshoes and Haircap                  |
| 1   | Labelled 10L Pail with Instructions    |



| Qty | ZTSSLAB Laboratory Spill Kit        |
|-----|-------------------------------------|
| 1   | 2.5L Multi Purpose Absorbent Powder |
| 4   | Disposal Bags                       |
| 4   | Cleaning Cloths                     |
| 4   | Pair Disposable Gloves              |
| 2   | Face Mask & Eye Shield              |
| 2   | Disposable Apron                    |
| 2   | Scoop and Scraper                   |
| 1   | Labelled 10L Pail                   |




| Qty | ZTSSSDK Sharps Collection Kit  |
|-----|--------------------------------|
| 1   | Medical Sharps Waste Container |
| 1   | Disposable Forceps             |
| 1   | Clinical Waste Bag             |
| 1   | Scoop and Scraper              |
| 1   | Disposable Gloves              |
| 1   | Hygenic Skin Wipes             |
| 1   | Step-by-step Instructions      |



The Australian made Quickbund Portable Bunding System provides a safe and secure area for dealing with a wide range of liquids including acids, caustics, oils & fuels.

Manufactured from heavy duty XR-5, the high-frequency welded seams ensure no leaking and provide maximum strength.



The fold down walls allow for vehicle and forklift access.

The Quickbund can be erected in seconds without the need for tools. Simply position and unfold.

The Quickbund can be built to your meet your specific requirements.

Because it is so lightweight and portable, the Quickbund is ideal for all field applications including drill rigs, generators, refuelling & transformers.



The Quickbund can be fitted with a portable oil/water filter for outdoor use.

Quickbund Portable Bunding

| Item Code | Dimensions   | Capacity | Pack Size     | Weight |
|-----------|--------------|----------|---------------|--------|
| TSSQB1    | 1.9x1.9x0.3m | 1,000L   | 600x700x100mm | 10kg   |
| TSSQB2    | 2.5x2.5x0.3m | 2,000L   | 700x700x100mm | 20kg   |
| TSSQB3    | 4.1x2.5x0.3m | 3,000L   | 700x700x150mm | 26kg   |
| TSSQB4    | 3.2x1.9x0.3m | 1,800L   | 700x700x100mm | 19kg   |
| TSSQB5    | 3.2x3.2x0.3m | 3,000L   | 700x700x150mm | 26kg   |
| TSSQB6    | 8.5x4.5x0.3m | 11,400L  | 800x900x300mm | 67kg   |
| TSSQB7    | 10x5x0.3m    | 15,000L  | 800x900x350mm | 75kg   |
| TSSQB8    | 15x5.5x0.3m  | 24,700L  | 800x900x400mm | 86kg   |
| TSSQB9    | 5x5x0.3m     | 7,500L   | 700x800x200mm | 45kg   |
| TSSQB10   | 4.1x4.1x0.3m | 5,000L   | 700x700x150mm | 32kg   |

# World's Strongest Poly Spill Pallet



After three years of modelling and development, Romold has now made the world's strongest spill containment pallet with a UDL capacity of 3,000kg (6,612 lbs).

This new model also features a 4-way forklift access and a new rotomoulded grate.

As with all of the Romold range of products, they are manufactured in the UK to meet the strict demands of the European market.

It still has the superior chemical and impact resistance you have come to expect from the Romold range.

This new generation 100% virgin resin sump design combined with the heavy-duty grate is what makes this spill pallet a true world champ.



As with all spill pallets in the Romold range, they are available with ramps, sump plugs and weather-proof covers.

| Code     | Description               | Size (mm)   | Sump | Weight | Load   |
|----------|---------------------------|-------------|------|--------|--------|
| TSSBP4FW | 4-Way 4-Drum Spill Pallet | 1220 x 1220 | 250L | 40kg   | 3000kg |



## TSSBP4L 4-Drum Spill Pallet

- Designed for safe and compliant storage of 4x205L drums.
- Made from 100% corrosion free polyethylene.
- Two-way forklift access for loaded Spill Pallets.
- EPA compliant sumps in all Spill Pallets.
- Rain covers and ezy-load ramps are also available.

| Length | Width  | Height | Weight | Sump      | Max Load |
|--------|--------|--------|--------|-----------|----------|
| 1280mm | 1280mm | 275mm  | 35kg   | 230 Litre | 1250kg   |



## TSSBP4 4-Drum XL Spill Pallet

- Huge 410 litre sump for storage of containers up to 372L.
- Solid polyethylene construction for heavy loads.
- Suitable for up to 4 x 205L drums.
- Drain plugs come standard with all spill pallets
- Forkliftable when fully loaded

| Length | Width  | Height | Weight | Sump      | Max Load |
|--------|--------|--------|--------|-----------|----------|
| 1310mm | 1310mm | 370mm  | 44kg   | 410 Litre | 1250kg   |



## TSSBP2 2-Drum Spill Pallet

- Designed for safe and compliant storage of 2x205L drums.
- Made from 100% corrosion free seamless polyethylene.
- Two-way forklift access for loaded Spill Pallets.
- EPA compliant sumps in all Spill Pallets.
- Rain covers and ezy-load ramps are also available.

| Length | Width | Height | Weight | Sump      | Max Load |
|--------|-------|--------|--------|-----------|----------|
| 1220mm | 820mm | 330mm  | 26kg   | 240 Litre | 650kg    |



## TSSBP1 1-Drum Spill Pallet

- Designed for storage of 1 x 205L drum.
- Small footprint for compliant storage in small areas.
- Removable grate makes decontamination easy
- Drainplugs are a standard feature.
- Polyethylene construction for extra durability.

| Length | Width | Height | Weight | Sump      | Max Load |
|--------|-------|--------|--------|-----------|----------|
| 900mm  | 700mm | 525mm  | 22kg   | 225 Litre | 300kg    |



## TSSBP4RT 4-Drum Roll-Top Spill Pallet

- Protect your load from weather and theft.
- Key lockable ezy-lift Roll Top Cover large 410 litre sump
- suitable for holding 4 x 205L (44gal) drums
- Can be moved with a forklift when loaded
- removable non-slip grates
- raised lip helps to keep your load secure fitted with threaded drain plug

| Length | Width  | Height | Weight | Sump      | Max Load |
|--------|--------|--------|--------|-----------|----------|
| 1470mm | 1420mm | 2070mm | 115kg  | 410 Litre | 1450kg   |



Easy forklift access to stored pallets

## TSSRB1 Pallet Racking Bund


- Turn standard pallet racking into banded racking.
- Prevent contamination of goods stored below.
- Drain plug fitted for easy removal of spilled liquids.
- Utilises the "dead space" between the beams.
- Designed to provide easy access to pallets.
- 100% polyethylene for broadband chemical resistance. Racking not included

| Length | Width  | Height | Weight | Sump      | Max Load |
|--------|--------|--------|--------|-----------|----------|
| 1280mm | 1280mm | 245mm  | 25kg   | 410 Litre | 1450kg   |

## Spill Pallet Covers

- Protect the sump and the load from rainwater.
- Available for all sizes of Spill Pallets
- Welded seams and heavy-duty PVC prevents leakage.
- Shockcord elastic keeps the cover in place
- Fast and easy to remove and replace the cover.

| Item Code | Used With Item                |
|-----------|-------------------------------|
| TSSBP4LC  | TSSBP4L - 4-Drum Spill Pallet |



## Spill Pallet Ramps

These spill pallet ramps are made from tough polyethylene and are suitable to use with 4-drum and roll-top spill pallets.

| Code      | Length | Width  | Height | Weight | Max Load |
|-----------|--------|--------|--------|--------|----------|
| TSSBP4R   | 1740mm | 1000mm | 275mm  | 33kg   | 1000kg   |
| TSSBP4RTR | 1740mm | 1000mm | 370mm  | 38kg   | 1000kg   |



The Spill Deck is built tough and comes in three sizes. These Spill Decks can be configured to create non-slip bunded liquid handling workstations and storage areas to fit your working environment.

Two sizes of ramps are available to make loading the Spill Deck with pallet jacks and hand trolleys easy.



### TSSBF2 2-Drum Spill Deck

- Ideal for small decanting or waste oil collection point.
- Low profile for ease of loading.
- Can be fitted with drain plugs if required.
- Seamless design for maximum sump security.
- Tough polyethylene construction for maximum durability.
- Removable non-slip grates makes cleaning easy.

| Length | Width | Height | Weight | Sump      | Max Load |
|--------|-------|--------|--------|-----------|----------|
| 1260mm | 860mm | 150mm  | 20kg   | 150 Litre | 1000kg   |



### TSSBF4 4-Drum Square Spill Deck

- Designed to hold 4 x 205 litre drums.
- Huge 300L sump complies with EPA requirements.
- Drain plugs available for easy removal of spilled liquids.
- Seamless design for maximum sump security.

| Length | Width  | Height | Weight | Sump      | Max Load |
|--------|--------|--------|--------|-----------|----------|
| 1660mm | 1260mm | 150mm  | 40kg   | 300 Litre | 2000kg   |



## TSSBF4S 4-Drum In-line Spill Deck

- Designed to hold 4 x 205 litre drums.
- Low profile for ease of loading.
- Can be fitted with drain plugs if required.
- Seamless design for maximum sump security.
- Corrosion-free polyethylene construction.

| Length | Width | Height | Weight | Sump      | Max Load |
|--------|-------|--------|--------|-----------|----------|
| 2610mm | 860mm | 150mm  | 48kg   | 300 Litre | 2000kg   |



## TSSBF1 1-Drum Floorbund

- Ideal for small decanting or liquid collection area.
- Low profile for ease of loading.
- Can hold up to 10 x 25 litre containers.
- Seamless design for maximum sump security.
- Polyethylene construction for maximum durability.

| Length | Width | Height | Weight | Sump      | Max Load |
|--------|-------|--------|--------|-----------|----------|
| 920mm  | 720mm | 175mm  | 15kg   | 100 Litre | 300kg    |



## TSSBFR Compact Spill Deck Ramp

- Ideal for confined areas requiring ramp access.
- Ramp attaches to spill deck for extra stability.
- Moulded grips reduce slippage.
- Tough single piece moulded polyethylene.
- Not suitable for 1-Drum Floorbund.

| Length | Width | Height | Weight | Max Load |
|--------|-------|--------|--------|----------|
| 650mm  | 800mm | 165mm  | 9kg    | 300kg    |



## TSSBFR2 Large Spill Deck Ramp

- Gentle incline for heavier loads.
- Suitable for hand trolley and pallet jack.
- Raised moulded grips to reduce slippage.
- Seamless design for maximum sump security.
- Polyethylene construction for maximum strength.

| Length | Width  | Height | Weight | Max Load |
|--------|--------|--------|--------|----------|
| 1740mm | 1000mm | 160mm  | 28kg   | 900kg    |





## TSSBB1 Single IBC Spill Containment Unit With Grate

- Designed to hold 1 x IBC (1000L) tank.
  - Huge 1100L sump complies with EPA requirements.
  - Drain plugs fitted for easy removal of spilled liquids.
  - Seamless design for maximum sump security.
  - Tough polyethylene construction for maximum durability.
  - Dispensing wells, IBC funnels and covers also available.
- Grate on top allows for smaller drum & can be stored*

| Length | Width  | Height | Weight | Sump       | Max Load |
|--------|--------|--------|--------|------------|----------|
| 1760mm | 1350mm | 710mm  | 107kg  | 1100 Litre | 1500kg   |



## TSSBB2 Dual IBC Spill Containment Unit With Grate

- Designed for 2 x IBC (1000L) tank or 8 x 250L drums.
- Huge 1140L sump exceeds EPA requirements.
- Drain plugs and removable grates for easy clean up.
- Robust & chemically resistant polyethylene construction.
- Dispensing wells, IBC funnels and covers also available.

| Length | Width  | Height | Weight | Sump       | Max Load |
|--------|--------|--------|--------|------------|----------|
| 2560mm | 1350mm | 510mm  | 136kg  | 1140 Litre | 2500kg   |



## Dispensing Wells For IBC Storage Units

- Attaches securely to any position around the bund.
- Catches drips & directs any overflow back into the sump.
- Big enough to hold 25 litre drums for safe decanting.
- Ideally suited for storing connected hoses when not in use.

| Item Code | Length | Width | Height | Sump     | Use With |
|-----------|--------|-------|--------|----------|----------|
| TSSBB1T   | 550mm  | 545mm | 855mm  | 86 Litre | TSSBB1   |
| TSSBB2T   | 530mm  | 510mm | 560mm  | 86 Litre | TSSBB2   |




## IBC Funnel

- Large diameter for easy decanting into IBCs.
- Avoid spills and keep the area free of slip hazards.
- Available with or without lid.
- Tough polyethylene construction for maximum durability.

| Item Code  | Description            | Diameter | Weight |
|------------|------------------------|----------|--------|
| TSSDF200   | IBC Funnel With Lid    | 640mm    | 5kg    |
| TSSDF200-Z | IBC Funnel Without Lid | 640mm    | 4kg    |

# Flammable Liquid Storage Cabinets



Made from 1.2mm zinc coated steel, the Total Containment range of safety cabinets are built to last. They carry a 2 year warranty on the closing mechanism and a 5 year warranty on the body and doors.



### 50mm Flash Arrester Vent

Fitted into side walls for venting of cabinets where required. Also includes a proven flash arrester in each vent with sealed enclosure in the cavity between walls. Each vent is supplied with resealable metal caps



### Non-sparking Latches

Spring loaded spark-proof 3 point latching door mechanism for fault free latching action.



### Continuous Piano Hinge

Continuous piano hinges for reliability of action.

### Rounded Corners

All doors have rounded corners for added safety.



### Fully Adjustable Shelves

90mm shelving increments and large easy-fit shelf hooks for extra strength



### Leak Tight Sump

Two inch leak-tight sump for containment of accidental drips and spills



### Heavy Duty Perforated Steel Shelves

1.6mm thick perforated galvanised steel shelves provide added strength (up to 120kg) and free air movement within the cabinet.



### Recessed Handle

New recessed handle with key lock to eliminate potential damage from heavy knocks.



### Levelling Feet

Each cabinet is fitted with 4 levelling feet for stable positioning on uneven surfaces.

| Code    | Construction    | Capacity |         | Height<br>mm | Width<br>mm | Depth<br>mm |
|---------|-----------------|----------|---------|--------------|-------------|-------------|
|         |                 | Litres   | Gallons |              |             |             |
| FC1D15  | 1 door, 1 shelf | 15       | 4       | 630          | 435         | 435         |
| FC1D45  | 1 door, 1 shelf | 45       | 12      | 960          | 595         | 460         |
| FC1D57  | 1 door, 1 shelf | 57       | 15      | 1190         | 595         | 460         |
| FC1D83  | 1 door, 3 shelf | 83       | 22      | 1720         | 595         | 460         |
| FC1D204 | 1 door, 3 shelf | 204      | 54      | 1720         | 595         | 460         |
| FC2D114 | 2 door, 1 shelf | 114      | 30      | 1190         | 1090        | 460         |
| FC2D170 | 2 door, 2 shelf | 170      | 45      | 1720         | 1090        | 460         |
| FC2D227 | 2 door, 2 shelf | 227      | 60      | 1720         | 860         | 860         |
| FC2D340 | 2 door, 2 shelf | 340      | 90      | 1720         | 1090        | 860         |



# Corrosive Substance Storage Cabinet



All corrosive cabinets come with poly trays as required by MOM.



| Code    | Construction    | Capacity |         | Height<br>mm | Width<br>mm | Depth<br>mm |
|---------|-----------------|----------|---------|--------------|-------------|-------------|
|         |                 | Litres   | Gallons |              |             |             |
| CC1D15  | 1 door, 1 shelf | 15       | 4       | 630          | 435         | 435         |
| CC1D45  | 1 door, 1 shelf | 45       | 12      | 960          | 595         | 460         |
| CC1D57  | 1 door, 1 shelf | 57       | 15      | 1190         | 595         | 460         |
| CC1D83  | 1 door, 3 shelf | 83       | 22      | 1720         | 595         | 460         |
| CC1D204 | 1 door, 3 shelf | 204      | 54      | 1720         | 595         | 460         |
| CC2D114 | 2 door, 1 shelf | 114      | 30      | 1190         | 1090        | 460         |
| CC2D170 | 2 door, 2 shelf | 170      | 45      | 1720         | 1090        | 460         |
| CC2D227 | 2 door, 2 shelf | 227      | 60      | 1720         | 860         | 860         |
| CC2D340 | 2 door, 2 shelf | 340      | 90      | 1720         | 1090        | 860         |

## Features:

- 1.2mm zinc coated SECC steel.
- Full dual skin body and doors.
- Recessed lockable handle with grip tape.
- Rounded edges for safer use
- Piano hinges provide extra durability.
- Poly trays on all shelves.
- Adjustable feet for increased stability.
- Color coded blue for fast recognition.
- Standard units are manual close.
- Self closing and custom units available.

## Robund Bunding Solution

Converting any area, or even your whole workshop or warehouse, into a securely bunded area has just become simple.

Unlike concrete and rubber alternatives, this new generation urethane bunding will not chip, split or crack.

Each kit comes complete with sealant/adhesive and masonry anchors and step-by-step instructions

Pieces can be easily cut to size with a fine-tooth saw.



| Code    | Size                      |
|---------|---------------------------|
| TSSRPB1 | 1m x 150mm x 25mm(H)      |
| TSSRPBC | (350x350) x 150 x 25mm(H) |



Robund is purpose made for bunding high traffic areas and has excellent chemical resistance properties.

# Poly Corrosive Chemical Storage Cabinets

Certain acids and bases release fumes that can attack and rapidly corrode traditional metal chemical storage cabinets.

The Corro-store range of corrosive chemical storage cabinets are made from a specially formulated fire retardant polypropylene and have no internal metal parts making them a high quality corrosion free alternative.

The divided sump in some models makes them ideal for compliant storage of both acids and bases in the one cabinet.

The 50 and 100 litre models are perfect for under bench applications in laboratories.



## Features:

- Combination acid/base units in the one cabinet using the optional divider - available for 100, 150, 200, & 250 litre models
- No internal metal parts
- Self closing external hinges
- Made from non corroding fire retardant polypropylene
- Knockout ventilation ports for mechanical ventilation if required
- Additional adjustable shelves available
- All units are key lockable
- Liquid tight spill protection sump

Poly Corrosive Storage Cabinets

| Code       | Construction                  | Capacity Litres | Height mm | Width mm | Depth mm |
|------------|-------------------------------|-----------------|-----------|----------|----------|
| TSSCP500   | 1 door, 1 shelf               | 50              | 720       | 600      | 400      |
| TSSCP1000  | 2 door, 4 shelf               | 100             | 720       | 935      | 400      |
| TSSCP1000D | 2 door, 4 shelf, divided sump | 100             | 720       | 935      | 400      |
| TSSCP1600  | 2 door, 5 shelf               | 150             | 1000      | 1000     | 500      |
| TSSCP1600D | 2 door, 5 shelf, divided sump | 150             | 1000      | 1000     | 500      |
| TSSCP2000  | 2 door, 4 shelf               | 200             | 1250      | 1000     | 450      |
| TSSCP2000D | 2 door, 4 shelf, divided sump | 200             | 1250      | 1000     | 450      |
| TSSCP2500  | 2 door, 10 shelf              | 250             | 1760      | 1100     | 450      |
| TSSCP2500D | 2 door, 10 shelf divided sump | 250             | 1760      | 1100     | 450      |



TSSAER01 12 can aerosol cage

Aerosol cans are designed to safely contain the compressed liquids and propellant at temperatures under 55°C.

Even in an FM approved cabinet internal temperature can exceed 160°C and cause the aerosol to rupture or explode.

Aerosol storage cages create a designated and well ventilated area for safe storage.

These cages are designed to contain the projectiles that result from an aerosol can explosion while allowing the forces generated to vent out safely.

All cages are labeled and with a Class 2 Flammable Gas placard as stated by UN1950.

## Features:

- Full solid steel construction
- Corrosion resistant powder coated finish
- Lockable doors for added security
- Shelf heights to fit all sizes of aerosols
- Comes complete with Class 2 signage
- Controlled access and improved stock control
- Can be easily relocated if required
- Suitable for indoor or outdoor use

| Aerosol Storage Cages |               |           |          |          |
|-----------------------|---------------|-----------|----------|----------|
| Code                  | Capacity Cans | Height mm | Width mm | Depth mm |
| TSSAER01              | 12            | 400       | 500      | 200      |
| TSSAER02              | 60            | 500       | 700      | 300      |
| TSSAER03              | 108           | 900       | 850      | 400      |
| TSSAER04              | 216           | 900       | 1655     | 400      |
| TSSAER05              | 216           | 1800      | 850      | 400      |
| TSSAER06              | 432           | 1800      | 1655     | 400      |



TSSAER04 216 can aerosol cage

# Indoor Emergency Shower/Eyewash

The main thing to know is we stand behind our product. All units in the Hughes Safety Shower range have a 2 year warranty. That is double the warranty of any other shower supplier

## Valves:

- Virtually unbreakable.
- Purpose built patented design.
- Full bore ball valve.
- PTFE seals.
- Made from fully 316 stainless steel.
- 360° positively engaged spindle.
- Fully enclosed valve stop assembly.
- Glass reinforced nylon lever.



## Spray Nozzle:

- Heavy duty glass reinforced moulded nylon construction.
- Cyclonic delivery conical spray profile.
- Complies with ANSI & Australian Standard spray profile requirements even at lower water pressures.
- Unlike common shower roses it will not become blocked by smaller particles.



## Piping:

- All pipes are made from semi-polished 304L stainless steel.
- All fittings are made from 316 stainless steel.
- Full 316 stainless steel models are also available.

## Construction:

The modular approach to construction provides maximum flexibility. All optional fittings including eyewash, eyewash operation pedal, signage and lighting can be easily retro-fitted to your safety shower if required.



*Shown with optional Optiflex, signage and foot pedal*



| Indoor Emergency Shower/Eyewash Equipment |  |
|---|--|
| Item Code                                 | Description  |
| H-EXP18GS                                 | Stainless Steel Safety Shower                              |
| H-EXP18GS85G                              | Stainless Steel Safety Shower and Eye/Facewash             |
| H-EXP18GS45G                              | Stainless Steel Safety Shower and covered ABS Eye/Facewash |
| H-EXP23GSH                                | Stainless Steel Wall Mounted Safety Shower                 |
| H-EXP23GSV                                | Stainless Steel Ceiling Mounted Safety Shower              |

## Your safety shower may be compliant but is your water temperature?



Shown with optional signage and foot pedal

When the sun heats up shower pipes it can increase water temperature to over 50°C. Using this water to flush skin and eyes damaged by chemical burns can cause considerable damage.

The Self Draining Safety Showers are designed to drain the water out of the shower and eyewash pipes when not in use and prevent scalding from water overheated by exposure to the sun.

The unique conical profile shower nozzle and solid spigot 316 ball valve will ensure years of trouble free use.

This style safety shower is available as a combination shower/eye & face wash as well as a shower with body spray for multi-directional flushing.

### Features:

- Full stainless steel pipes & fittings.
- Pipe wall thickness 2.3mm.
- Solid spigot 316 ball valve.
- Conical profile shower nozzle.
- Bottom water inlet.
- Self-draining design.
- Complies with AS4775-2007
- Complies with ANSI Z358.1-2004
- Full 2 year warranty

### Options:

- Foot control pedal for eyewash
- Scald protection valve
- Flow switch
- Compliant signage
- Audible/visual alarms
- Lighting
- Anti-slip matting

### Outdoor Safety Showers and Eye/Facewash

| Item Code      | Description                           |
|----------------|---------------------------------------|
| H-EXPSD18GS85G | Outdoor Safety Shower w/ Eye/Facewash |

## Scald Protection Valve



The Scald Protection Valve continually senses water temperature, automatically opens when the water reaches 35°C and bleeds overheated water from safety shower and eyewash supply lines. The valve closes when the water reaches 29.4°C.

Scald protection is provided with minimal water consumption. The unique plug and seat design offers the most reliable, tight shutoff available.


### Features:

- Stainless steel body, fittings, spring and plug.
- Long service life & 3 year warranty.
- Narrow temperature band.
- Compact, low mass - Fast response
- Ram-type plug for reliable tight shutoff
- Downstream actuator for greater sensitivity.
- Sensitive to temperature only.
- Unaffected by pressure variations.
- Easy installation with pipe wrench

### Scald Protection Valve

| Item Code | Description                  |
|-----------|------------------------------|
| H-AHATSP  | Anti-Scald Valve 35°C-29.4°C |

# Indoor/Outdoor Safety Shower Optional Extras



## Safety Shower & Eyewash Signs

The Australian Standard AS4775 states that correct signage for each safety shower is a requirement of compliance. They are made from stove enamelled aluminium plate and over-lacquered for extra protection. Signs come complete with bracket to attach to the shower

| Item Code | Description                            | Size (mm) |
|-----------|--|-----------|
| H-EWS     | Eyewash Sign Metal Single Sided        | 300 x 255 |
| H-SSS     | Safety Shower Sign Metal Double Sided  | 300 x 255 |
| H-ESS     | Shower/Eyewash Sign Metal Double Sided | 300 x 400 |



## Safety Shower Lighting

This safety shower lighting is made from impact resistant poly carbonate and GRP. Twin 18W green fluorescent tubes ensure your safety shower complies A S 4775. Comes complete with mounting pole and bracket. Available for hazardous and non-hazardous environments.

| Item Code | Description                                | Ingress Protection |
|-----------|--|--------------------|
| H-AULIGHT | Safety Shower Light, Twin Tube, Green, 18w | IP66               |



## Optional Shower Rose Designs

In addition to the the Conical Profile shower nozzle that comes standard with all safety showers, these traditional shower roses are also available. These shower rose options are available in stainless steel or high impact ABS capped plastic.


| Item Code | Description                      |
|-----------|----------------------------------|
| H-ABS     | Yellow ABS Plastic Shower Rose   |
| H-SSR     | Stainless Steel Shower Rose      |
| H-PNR     | Red Nylon Plastics Shower Nozzle |



## Foot Operation Pedal

In addition to the standard hand operation, this foot operation pedal is also available for all plumbed-in eyewash units. It is made of powder coated stainless

| Item Code | Description          |
|-----------|----------------------|
| H-TFC     | Foot Operation Pedal |



## Flow Switch & Alarms

Other options including audible/visual alarms, flow switches and flange connectors are also available. The flow switch can trip a local or remote alarm and ensure the user gets fast first aid attention. Both units are available for hazardous and non-hazardous areas.

| Item Code | Description                      | Ingress Protection |
|-----------|----------------------------------|--------------------|
| H-FSNH25  | Flow Switch, Non Hazardous, 25mm | IP66               |
| H-AUDVIS  | Audible/Visual Alarm             | IP65               |





## Covered Eye-Facewash with Intergral Lid

This breakthrough in Emergency Eye/Facewash Units is safer and more effective than other units.

The H-STD45G eyewash ensures that the unit is protected from contaminants at all times. When opened, the flow of flushing water begins immediately.

- Standard Fittings
- Integral pull-down lid to start water flow
- Stainless steel piping
- Aerated diffusers
- Flow regulator
- Self adhesive pictogram sign

| Item Code  | Description                           |
|------------|---------------------------------------|
| H-STD45K   | Wall Mounted Covered Eye/Facewash     |
| H-STD45GSP | Pedestal Mounted Covered Eye/Facewash |
| H-EXP45GT  | Bench Mounted Covered Eye/Facewash    |
| H-TFC      | Optional Foot Control Pedel           |

## Eye-Facewash with Stainless Steel Bowl

This fully compliant eye/facewash with stainless steel bowl is available as a wall mounted or pedestal mounted option.

| Item Code  | Description                   |
|------------|-------------------------------|
| H-STD85G   | Wall Mounted Eye/Facewash     |
| H-STD85GSP | Pedestal Mounted Eye/Facewash |
| H-TFC      | Optional Foot Control Pedel   |

## Wall Mounted Sign and Eyebath

Wall Mounted Emergency Eyebath and Safety Sign. The Eyebath attachment is on a flexible hose incorporating a handle, removable Eyebath cup and dust cover.


| Item Code | Description                    |
|-----------|--------------------------------|
| H-STD35G  | Wall Mounted Eyebath with sign |

## Optiflex Hand Held Eye, Face & Body Shower

This hand held eye, face & body shower has a unique lock on valve. The Optiflex100 can be mounted to a wall or safety shower. The Optiflex500 dual cup eyebath comes with wall mounting bracket. Both units are supplied with 1.5m reinforced hose.

| Item Code   | Description                        |
|-------------|------------------------------------|
| H-OPT1100   | Wall Mounted Single Cup Optiflex   |
| H-OPT1100SM | Shower Mounted Single Cup Optiflex |
| H-OPT1500   | Wall Mounted Dual Cup Optiflex     |

# Laboratory Safety Shower & Eyewash Equipment



## Floor Mounted Laboratory Emergency Shower with Eye/Facewash

Floor Mounted Laboratory Emergency Shower with Eye/Facewash Fountain has a shower rose (stainless steel as standard fitting) and is pull rod operated. The Eye/Facewash has twin spray aerated nozzles with dust covers and is push plate operated. The water jets lift off the dust covers when operated and the height of the jets is adjustable using an integral flow regulator valve (shown with optional Optiflex). This shower/eyewash combination unit is finished in two-pack green enamel paint.

### Standard Features:

- Stainless steel eye/face wash with aerated diffusers, dust covers, flow regulator and push pad.
- Hand operated pull rod shower control.
- Stay-on ball valve.
- Stainless steel shower rose.
- Stainless steel tubulars.

| Item Code    | Description                              |
|--------------|--|
| H-STD85G     | Wall Mounted Stainless Steel Eyewash     |
| H-STD85GP    | Pedestal Mounted Stainless Steel Eyewash |
| H-LAB18GS85G | Safety Shower & Eyewash Combination      |

## Bench Mounted Eye/Facewash

This covered eyewash is made from high impact ABS plastic. When the cover is opened, the flow of water commences immediately. This eyewash incorporates a flow regulator and twin aerated diffusers. Signage is also included.

| Item Code | Description                |
|-----------|----------------------------|
| H-STD45GT | Bench Mounted Eye/Facewash |

## Non-Slip Safety Shower Mat

When floor surfaces, especially in a laboratory, become wet they can also become very slippery. These mats are designed for use under emergency showers or eyewash stations. The mats keep accident victims from slipping and raise them above the overflow area as the hazardous chemicals are washed away. The highly visible yellow borders are 153mm wide with a gradual slope for easy access. Easy to clean. Sweep or dry mop surface. Can be mopped with mild soap or detergent.

| Item Code | Description                          |
|-----------|--------------------------------------|
| H-NSM     | Non-Slip Safety Shower & Eyewash Mat |

# Self-Contained Safety Shower/Eyewash

## Portable Interim Safety Shower & Eyewash

The 114 litre carbon steel cylinder is polypropylene lined to avoid internal corrosion. Painted with acid resistant paint and fitted with 'Emergency Shower' signs. This unit is easily filled by connecting to a mains water supply via a 15 or 20 mm hose pipe and pressurised via a standard Schrader valve. It is moved using the attached stainless steel trolley with pneumatic wheels. This Mobile Emergency Safety Shower is designed as a quick response, first-aid device for use where a plumbed-in unit is not available and must therefore be backed up by a method of further decontamination.

| Item Code   | Description                    |
|-------------|--------------------------------|
| H-STD40K    | Portable Safety Shower         |
| H-STD45GM   | Portable Eye/Face Wash         |
| H-STD40K45G | Portable Safety Shower/Eyewash |

## Portable Gravity Fed Eyewash

- Provides 15mins of decontaminating flow as specified in AS4775.
- Includes one bottle bacteriostatic additive.
- Wall mounting bracket included with each eyewash.
- Thermal protection jacket available for outdoor use

| Item Code | Description                          |
|-----------|--------------------------------------|
| H-P400    | Portable Gravity Fed Eyewash         |
| H-P400TJ  | Thermal Protection Jacket for H-P400 |
| H-ANTBAC  | Bacteriostatic Water Additive        |

## Portable Pressurised Eyewash

These pressurised eyewash units come in 2 sizes, 9 & 45 litres. Both are fitted with a pressure gauge and standard schrader valve. The 9 litre unit can deliver copious amounts of aerated water for 1 1/2 minutes via the attached drench hose. The 45 litre unit can delivery flushing water for 4 minutes via the twin aerated eyewash fountain.

| Item Code | Description                     |
|-----------|---------------------------------|
| H-STD28G  | 9L Pressurised Interim Eyewash  |
| H-STD58G  | 45L Pressurised Interim Eyewash |

## Eyewash Solution Bottles

This sterile, buffered, isotonic solution has a twist off, tamper evident cap and a 4 year shelf life. It is designed to provide a controlled rate of flow. Available in stand alone bottles or wall mounted eyewash station.

| Item Code | Description                           |
|-----------|---------------------------------------|
| EWB148    | 148ml Eyewash Bottle                  |
| EWB472    | 472ml Eyewash Bottle                  |
| EWB944    | 944ml Eyewash Bottle                  |
| EWB472WM  | Eyewash Station with 2 x 472ml Bottle |
| EWB944WM  | Eyewash Station with 2 x 944ml Bottle |



# Self-Contained Safety Shower/Eyewash



1200L Tank Shower with optional extras

This range of heavy duty tank showers and eyewash units, are ideal for areas where piped water supply is not available or water pressure cannot maintain a compliant flow rate.

The 1200L model provides 15 minutes of flushing water to ensure compliance with the Australian and ANSI standard for safety shower and eyewash equipment.

The 350L model is best suited to areas where piped water is available but pressure is not able to provide the 75 litres per minute required.

Standard features:

- Stainless steel frame and shower rose
- Glass reinforced plastic tank shell
- Insulated food grade plastic water storage tank
- External water level indicator
- External shower test handle
- 3/4 inch female BSB tank fill point
- All tank showers come with signage attached.
- Panic bar operation

| Item Code    | Description                      |
|--------------|----------------------------------|
| H-EXPJKS350  | 350 Litre Emergency Tank Shower  |
| H-EXPJKS1200 | 1200 Litre Emergency Tank Shower |

## Tank Shower Optional Extras



Mounted on the inside of the shower frame, the Emergency Eyewash incorporates an integral lid connected to the water valve to automatically operate the unit when the lid is lifted. The lid also ensures that the bowl remains clean and free from contamination at all times.



| Item Code  | Description                                    |
|------------|--|
| H-TSEF1200 | Complete Eyewash Unit For Use With Tank Shower |



- Integrated stainless steel pump
- Maintains compliant water temp in ambient temperatures to 60°C
- Standard 10A plug
- R134a Refrigerant for durability in high ambient conditions
- Can be mounted to shower equipment or be free standing
- IP rated electrical box
- High and low pressure safety protection
- 316 Stainless steel evaporator
- Suitable for operation in ambient temperatures to 60°C
- Epoxy coated condenser for anti corrosion protection

| Item Code     | Description   |
|---------------|---|
| H-TSCU1200    | Chiller Unit for 1200L Tank Shower Non Hazardous    |
| H-TSCU1200Z12 | Chiller Unit for 1200L Tank Shower Zone 1 & 2 Areas |

# Tank Shower Optional Extras



## Solar Protection Shields

When operating in extreme temperatures, Tank Showers can be fitted with Solar Shields to protect the water in the tank from the effects of heat transfer by conduction, convection and radiation. They also increase chiller efficiency.

| Item Code | Description                             |
|-----------|---|
| H-TSS1200 | Solar Shield for 1200 Litre Tank Shower |

## Tank Shower Lighting

Light Boxes enable the safety signs to be back-lit for greater visibility on dull days or at night. They also ensure that the shower and/or eyewash/facewash are easy to see at all times as recommended in the AS4775.

| Item Code | Description                                  |
|-----------|--|
| H-TSLNFLP | Tank Shower Lighting for Non-Hazardous Areas |
| H-TSLZ12  | Tank Shower Lighting for Zone 1&2 Areas      |

## Tank Shower Cubical Panels

The GRP cubical panelling is designed to minimise overspray especially when the tank shower is located in an exposed area. These panels are sold and fitted in the factory as a set of 3.

| Item Code   | Description                         |
|-------------|-------------------------------------|
| H-TSGRP1200 | GRP Panels for Tank Shower Cubicles |

## Shower Sump and Walk-On Grate

The walk-on tank shower panel is made from galvanised steel. Is spring loaded and connected to the panic bar with stainless steel jack chain. When the shower operation panel is depressed, a flow of flushing water starts within one second.

The GRP sump with stainless steel frame fits beneath the tank shower. The sump collects the water and allows it to drain to a single point.

| Item Code | Description                      |
|-----------|----------------------------------|
| H-TSP1200 | Walk-on Shower Operation Panel   |
| H-TSSUMP  | GRP Sump & Stainless Steel Frame |

## Shower & Eyewash Proximity Switch

Proximity switches can be fitted to the tank shower. When the shower/eyewash is operated, the proximity switch activate to turn on a local or remote alarm. Ideal for unmanned sites and remote locations.

| Item Code     | Description                            |
|---------------|--|
| H-STD22KENFLP | Eyewash Proximity Switch Non-Hazardous |
| H-STD22KNFLP  | Shower Proximity Switch Non-Hazardous  |
| H-STD22KEZ12  | Eyewash Proximity Switch Zone 1 & 2    |
| H-STD22KZ12   | Shower Proximity Switch Zone 1 & 2     |



## TSSBT230 Mobile Dispensing Station

- Safely move 205L drums from vertical to horizontal.
- Genuine single person operation. No forklift required.
- Lockable 3rd wheel for easy manoeuvring.
- Single piece moulded polyethylene with 230L sump.
- Double ratchet straps for extra load security.

| Length | Width | Height | Weight | Sump      | Max Load |
|--------|-------|--------|--------|-----------|----------|
| 1600mm | 740mm | 640mm  | 44kg   | 230 Litre | 300kg    |

- Decant from 205 litre drums in a safe bunded area.
- Huge 400L sump makes recovering spilled liquids easy.
- Seamless design for maximum sump security.
- Racker (base unit) and Stacker sold separately.

## TSSDB4 Poly Racker

| Length | Width  | Height | Weight | Sump      | Max Load |
|--------|--------|--------|--------|-----------|----------|
| 1390mm | 1250mm | 490mm  | 50kg   | 400 Litre | 1250kg   |

## TSSDBC Poly Stacker

| Length | Width | Height | Weight | Sump | Max Load |
|--------|-------|--------|--------|------|----------|
| 1240mm | 795mm | 490mm  | 25kg   |      | 600kg    |

## Drum Topper

- Prevent corrosion of drums stored outside.
- Locks onto the drum but is easily removed when required.
- Slanted lid prevents buildup of rainwater.
- Made of UV stabilised polyethylene.

| Item Code | Description                       | Size              |
|-----------|-----------------------------------|-------------------|
| TSSDL2    | Secure Polyethylene 205L Drum Lid | 630(dia)x160(H)mm |

## TSSPDDH Poly Drum Dolly

- Ideal for mobile fluid collection and vertical dispensing.
- Avoid spills by taking your drum to the job.
- Collect incidental spills and prevent slip hazard
- \*Overall sump height 255mm for ease of loading.
- Sturdy handle and rotating lockable castors.

| Length | Width | Height | Weight | Sump     | Max Load |
|--------|-------|--------|--------|----------|----------|
| 725mm  | 725mm | 990mm* | 15.5kg | 30 Litre | 300kg    |



## Poly Drum Funnel

- Perfect solution for waste oil collection point.
- Large stable surface area allows for controlled pouring.
- Drain containers and oil filters before disposal.
- Available with or without the hinged lid.
- Tough polyethylene construction for maximum durability.

## TSSDF1 Poly Drum Funnel

| Diameter | Height | Weight |
|----------|--------|--------|
| 610mm    | 230mm  | 4kg    |



*Suitable for drums up to 205 litres*

## Overpacks

- Approved for use with Packaging Group I, II & III.
- Certified for use as DOT Salvage Drums, 49 CFR 173.3(c)
- Made of high density polyethylene.
- Tool free screw-down closure.
- Gasket lid for positive seal.
- Superior strength with UV inhibitors.
- Nestable for convenient storage.
- Ideal weatherproof spill kit container.
- UL 94HB Flammability Rating.
- FDA 21 CFR 177.1520 Food Grade.



*Neoprene gasket for positive seal*



| Item Code | Capacity (Litre) | Height (mm) | Diameter Top (mm) | Diameter Bottom (mm) | Weight (kg) |
|-----------|------------------|-------------|-------------------|----------------------|-------------|
| TSS1237   | 360              | 1098        | 787               | 683                  | 21          |



**TSSGPT1**



**TSSGPT2**

## Tuff Storage Trays

- Provides safe, bunded storage for small drums and containers.
- Ideal for use with batteries, drums, machine parts, etc.
- Ribbed base design provides additional strength and spill clearance.
- Chemical resistant rotomoulded polyethylene for superior durability.

| Item Code | Description      | Capacity |         | Height mm | Width mm | Depth mm |
|-----------|------------------|----------|---------|-----------|----------|----------|
|           |                  | Litres   | Gallons |           |          |          |
| TSSGPT1   | Medium Tuff Tray | 110      | 29      | 295       | 730      | 730      |
| TSSGPT2   | Large Tuff Tray  | 230      | 60      | 295       | 730      | 1290     |



**TSSBB25**



**TSSBB50**

## Bench-top Spill Trays

- Designed for benchtop use.
- Perfect for lab applications.
- Spills drain safely to the sump.
- Chemical resistant polyethylene.

| Item Code | Capacity   | Height | Length | Width |
|-----------|------------|--------|--------|-------|
| TSSBB25   | 27.5 Litre | 110mm  | 550mm  | 550mm |
| TSSBB50   | 29 Litre   | 110mm  | 715mm  | 460mm |



**TSSTT100**



**TSSTT65**



**TSSTTXS**

## Drip and Storage Trays

| Item Code | Capacity  | Height | Length | Width  |
|-----------|-----------|--------|--------|--------|
| TSSTTS    | 45 Litre  | 170mm  | 630mm  | 590mm  |
| TSSTT65   | 65 Litre  | 150mm  | 1000mm | 550mm  |
| TSSTT100  | 100 Litre | 120mm  | 1000mm | 1000mm |





These MiniBund spill trays are made from polyethylene for extra strength and chemical resistance. They have a removable grate to keep your containers above the spill and allow easy cleaning. They are available in a range of sizes from 20L to 60L. Perfect for storage of drums up to 25L. They can be used to create a safe liquid decanting area.

| Item Code | Length | Width | Height | Capacity  |
|-----------|--------|-------|--------|-----------|
| TSSST20   | 595mm  | 395mm | 170mm  | 20 Litres |
| TSSST30   | 805mm  | 405mm | 170mm  | 30 Litres |
| TSSST40   | 800mm  | 605mm | 170mm  | 40 Litres |
| TSSST60   | 1000mm | 605mm | 200mm  | 60 Litres |

TSSST60



TSSST40



TSSST30



These large storage containers are made from polyethylene and come standard with hinged lockable lid.

## Large Storage Containers

| Item Code | Length | Width  | Height | Capacity   |
|-----------|--------|--------|--------|------------|
| TSSPSB1   | 1265mm | 855mm  | 910mm  | 350 Litre  |
| TSSPSB2   | 1460mm | 1010mm | 975mm  | 1000 Litre |
| TSSPSB3   | 1630mm | 1170mm | 1125mm | 1400 Litre |



TSSPMCXL4



TSSPC

TSSGPSC2



TSSBT100



## Maintenance Carts & Trolleys

| Item Code | Capacity | Height | Width  | Depth | Weight |
|-----------|----------|--------|--------|-------|--------|
| TSSPC     | 60L      | 965mm  | 1360mm | 710mm | 40kg   |
| TSSPMCXL4 | -        | 1550mm | 650mm  | 725mm | 39kg   |
| TSSGPSC2  | 220L     | 810mm  | 875mm  | 875mm | 20kg   |
| TSSBT100  | 100L     | 980mm  | 900mm  | 700mm | 18kg   |



## Hand Protection

| Item Code | Description                        |
|-----------|------------------------------------|
| X-NEO     | Chemical Resistant Neoprene Gloves |
| X-ORG     | Oil Resistant PVC Gloves           |
| X-ORG-E   | Oil Resistant PVC Gauntlets        |
| X-DLG     | Disposable Latex Gloves            |
| X-NDG     | Disposable Nitrile Gloves          |



## Waste Collection Equipment

| Item Code | Description             |
|-----------|-------------------------|
| X-SCOOP   | Dustpan & Brush         |
| X-BRM     | Hard Bristle Yard Broom |
| X-HSH     | Sparkproof Shovel       |



## PPE Sleeve

Ensure your personal protection equipment and material safety data sheets are easy to find by including the PPE Sleeve in your Spill Kit.

| Item Code | Description     |
|-----------|-----------------|
| X-PPS     | PPE/MSDS Sleeve |



## TSSNK1 Portable Oil/Water Filter

- Ideal for removing oil from water in remote areas.
- Aluminium dispersal wand with 50mm female camlock fitting.
- Removes up to 99.8% of hydrocarbons at 180L/minute.
- Converts up to 30L of hydrocarbon to a manageable solid.

| Item Code | Description                        | Capacity | Height | Width |
|-----------|------------------------------------|----------|--------|-------|
| TSSNK1    | Portable Oil/Water Filter Complete | 30 Litre | 1300mm | 500mm |
| TSSNK1R   | Portable Oil/Water Filter Refill   | 30 Litre | 1150mm | 500mm |



## Temporary Tank & Drum Repair Putty

- Stop leaks from drums, and tanks at the source.
- No surface or putty preparation is required.
- Simply scoop putty out and press over the hole.
- Very adhesive and chemical resistant.
- Effective up to .25 bar (8ft head pressure).
- Adheres to metal, plastic and glass.
- Perfect addition to any Spill Response Kit.
- Buys precious time and saves valuable liquids.



| Item Code | Name           | Weight |
|-----------|----------------|--------|
| PIU800    | Plugitup Putty | 800g   |